



TOS-BLK-2016

20KL TO 110KL SELF BUNDED BULK STORAGE TANKS

GLOBAL ENGINEERING SOLUTIONS VERY OWN SELF BUNDED BULK STORAGE TANKS
WITH SIZES RANGING FROM 20KL TO 110KL THAT COMES WITH A STANDARD FIRE SAFE
BALL VALVES AND FITTINGS

NOW WITH

Up to 400lpm dispenser
Tank Gauging
Fuel Management Systems

COMPONENTS

1600lpm 3 inches fail safe overfill valve
Internal room for mounting of control equipment
Stainless Steel and Fasteners Fitted



FEATURES




SELF BUNDED BULK STORAGE TANKS

- 1600lpm 3-inch fail-safe overfill valve
- Internal room for mounting of control equipment
- Sloping floor to maximize fuel discharge
- Hot Dipped Galvanize parts on all tanks
- Stainless Steel Fasteners Fitted
- Fill pipe with ball valve
- Check valve and camlock fittings
- Emergency Vents fitted as Standard
- Audible alarm Supplied
- Dispenser Mounts Supplied
- Electrical Mounts fitted to back wall
- Decals Supplied as Standard
- Ladder to Front or Right Hand Side
- Lockable doors to all sides
- Earth points to all sides
- 3 inches suction pipe with ball valve fitted
- 3x Turbine mounts fitted
- 700mm Manway for ease of entry
- Static Line Mounts fitted for working at heights
- Cutouts STD to all sides for OPT mounting








GA DRAWING



| MODEL NUMBER | SAFE FILL LEVEL (LITRES) | LENGTH X WIDTH X HEIGHT (mm) | | | WEIGHT (EMPTY) | BUND INCLUDED N = BULK TANK |
|--------------|--------------------------|------------------------------|------|------|----------------|--------------------------------|
| TOS-12 | 11,000 | 2990 | 2438 | 2896 | 7900 | Y |
| TOS-18 | 17,100 | 2990 | 2438 | 2896 | 8000 | N |
| TOS-30 | 28,500 | 6058 | 2438 | 2896 | 8500 | Y |
| TOS-38 | 35,000 | 6058 | 2438 | 2896 | 14000 | N |
| TOS-68 | 64,500 | 12192 | 2438 | 2896 | 14050 | Y |
| TOS-75 | 70,688 | 12192 | 2438 | 2896 | 16000 | N |
| TOS-84 | 81,000 | 13716 | 2438 | 2896 | 16800 | N |
| TOS-100 | 95,000 | 14038 | 2438 | 3200 | 17456 | N |
| TOS-110 | 110,000 | 14038 | 2438 | 3635 | 19850 | N |
| TOS-RPB-STD | N/A | 1133 | 2438 | 2896 | 1200 | N/A |
| TOS-SCU-3MT | N/A | 2917 | 2150 | 200 | 1035 | N/A |

* SHIPPING NOT INCLUDED, RESTRICTIONS APPLY

CERTIFICATIONS

-  **AS 1692-2006** Steel tanks for flammable and combustible liquids
-  **AS 1940-2004** Storage and handling of flammable and combustible liquids
-  **CAN/ULC-S601** Shop fabricated steel aboveground tanks for flammable and combustible liquids
-  **SANS 10131 Ed.1 (2004)** Above-ground storage tanks for petroleum products
-  **UL 142** Aboveground flammable liquid tanks

FOR MORE INFORMATION, PLEASE CONTACT GES

Rob Mackenzie - Asia Sales

Email: rob@globaleng.ca

Phone: +61400931539

www.globalengmfg.com